

FIG. 1C





FIG. 2A

FIG. 2B



REPLACEMENT SHEET

5/16




FIG. 2C

REPLACEMENT SHEET

6/16




FIG. 3A





FIG. 3B

REPLACEMENT SHEET





7/16

sender JP_address																	
sender_unique_ID_high																	
sender_unique_ID_low																	
current_generation				reserved				r		b		i		sender_local_ID			
length								crc-16									
node_count								self_id_count									
self_id_packet																	
(additional self_ID_packet quadlets...)																	
reserved								owned		source_ID							
current_owner JP_address																	
reserved								config_rom_length									
info_length				crc_length				rom_crc_value									
bus_info_block (multiple quadlets)																	
root_directory (multiple quadlets)																	
unit_directories (multiple quadlets)																	
root & unit leaves (multiple quadlets)																	
vendor_dependent_information (multiple quadlets)																	
(additional ownership / configuration rom entries...)																	

FIG. 4

**FIG. 5**

9/16

**FIG. 6****FIG. 7****FIG. 8****FIG. 9**




FIG. 10




FIG. 11




FIG. 12




FIG. 13

11/16




FIG. 14




FIG. 15




FIG. 16

ownership_timeout	reserved	break
device_unique_ID_high		
device_unique_ID_low		
new_owner_IP_address		

FIG. 17

device_unique_ID_high
device_unique_ID_low
current_owner_IP_address

FIG. 18




FIG. 19





FIG. 20

**FIG. 21**




FIG. 22




FIG. 23